

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	7	(US-6851059-\$ or US-6889380-\$ or US-6693533-\$ or US-6438128-\$ or US-6748559-\$ or US-6459698-\$ or US-6810418-\$).did.	USPAT	OR	ON	2006/04/14 16:46
L2	393	(infiniband or infini-band)	USPAT	OR	ON	2006/04/14 17:00
L3	284	(infiniband or infini-band) and (ca or (channel adj (adaptor or adapter)))	USPAT	OR	ON	2006/04/14 16:46
L4	14	(infiniband or infini-band) and ((management adj datagram) or mad)	USPAT	OR	ON	2006/04/14 16:55
L5	11	(ca or (channel adj (adaptor or adapter))) and (gsa or (general adj service adj agent)) and ((management adj datagram) or mad)	USPAT	OR	ON	2006/04/14 16:55
L6	1	promiscuous with client with message	USPAT	OR	ON	2006/04/14 16:47
L7	2	(promiscuous near3 (mode or client or network or entit\$4 or device)) and (infiniband or infini-band)	USPAT	OR	ON	2006/04/14 16:48
L8	13	infini\$ and (port same (adapter or adaptor)) and (((network or fabric) with manag\$) same message) and agent	USPAT	OR	ON	2006/04/14 16:48
L9	3292	709/223,225.ccls.	USPAT	OR	ON	2006/04/14 16:49
L10	10	709/223,225.ccls. and (infiniband or infini-band)	USPAT	OR	ON	2006/04/14 16:49
L11	8	("20030018761" "6061756" "6108725" "6141765" "6167491" "6381247" "6732318" "6735660").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2006/04/14 16:58
L12	84	(infiniband or infini-band) and class	USPAT	OR	ON	2006/04/14 17:22
L13	5	("20020184392" "20030046505" "20040193833" "6718392" "6804729").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2006/04/14 17:07
L14	4400	370/389,392,401.ccls.	USPAT	OR	ON	2006/04/14 17:11
L15	21	370/389,392,401.ccls. and (infiniband or infini-band)	USPAT	OR	ON	2006/04/14 17:11
L16	15	(infiniband or infini-band) and ((mad or manag\$8) near4 class)	USPAT	OR	ON	2006/04/14 17:53
L17	36	(infiniband or infini-band) and ((mad or manag\$8) near4 class)	US-PGPUB	OR	ON	2006/04/14 17:23
L18	0	(infiniband or infini-band) and ((mad or manag\$8) near4 class)	EPO; JPO	OR	ON	2006/04/14 17:23
L19	0	(infiniband or infini-band) and ((mad or manag\$8) near4 class)	IBM_TDB	OR	ON	2006/04/14 17:23
L20	17	(infiniband or infini-band) and ((client or device) near4 class)	USPAT	OR	ON	2006/04/14 17:53
L21	54	(infiniband or infini-band) and ((client or device) near4 class)	US-PGPUB	OR	ON	2006/04/14 17:53

[Sign in](#)



[Web](#) [Images](#) [Groups](#) [News](#) [Froogle](#) [Local](#) [more »](#)

infiniband promiscuous

[Search](#)

[Advanced Search](#)
[Preferences](#)

Web

Results 1 - 100 of about 722 for **infiniband promiscuous**. (0.58 seconds)

[INTERNET DRAFT <draft-ietf-ipoib-ip-over-infiniband-09.txt> HK ...](#)

3.0 **InfiniBand** Datalink An IB subnet is formed by a network of IB nodes ... IBA does not provide any hardware support for **promiscuous** multicast mode. ...

[www.ietf.org/internet-drafts/ draft-ietf-ipoib-ip-over-infiniband-09.txt](http://www.ietf.org/internet-drafts/draft-ietf-ipoib-ip-over-infiniband-09.txt) - 45k -

[Cached](#) - [Similar pages](#)

[INTERNET DRAFT <draft-ietf-ipoib-architecture-04.txt> Vivek ...](#)

1.1 **InfiniBand** Architecture Specification Kashyap [Page 2] INTERNET-DRAFT IPoB architecture ... There is no **promiscuous** mode for listening to all packets. ...

[www.ietf.org/internet-drafts/ draft-ietf-ipoib-architecture-04.txt](http://www.ietf.org/internet-drafts/draft-ietf-ipoib-architecture-04.txt) - 55k -

[Cached](#) - [Similar pages](#)

[[More results from www.ietf.org](#)]

[Ethereal: Re: \[Ethereal-dev\] NDMP patch.](#)

(Maybe I should go look at the **Infiniband** specs we have here and see whether there's any sort of **promiscuous** **Infiniband** sniffing possible, although I think ...

[www.ethereal.com/lists/ ethereal-dev/200201/msg00075.html](http://www.ethereal.com/lists/ethereal-dev/200201/msg00075.html) - 8k -

[Cached](#) - [Similar pages](#)

[Roxen Community: RFC 4391 Transmission of IP over InfiniBand ...](#)

The document [RFC4392] provides a short overview of **InfiniBand** architecture ...

IBA does not provide any hardware support for **promiscuous** multicast mode. ...

community.roxen.com/developers/idecs/rfc/rfc4391.html - 61k -

[Cached](#) - [Similar pages](#)

[Roxen Community: RFC 4392 IP over InfiniBand \(IPoB\) Architecture ...](#)

InfiniBand is a high-speed, channel-based interconnect between systems and devices. ... There is no **promiscuous** mode for listening to all packets. ...

community.roxen.com/developers/idecs/rfc/rfc4392.html - 69k -

[Cached](#) - [Similar pages](#)

[RFC 4391 - Transmission of IP over InfiniBand \(IPoB\). J. Chu, V. ...](#)

RFC 4391 IP over **InfiniBand** (IPoB) April 2006 32-bit Cyclic Redundancy Check ...

IBA does not provide any hardware support for **promiscuous** multicast mode. ...

rfc.sunsite.dk/rfc/rfc4391.html - 49k - [Cached](#) - [Similar pages](#)

[RFC 4392 - IP over InfiniBand \(IPoB\) Architecture. V. Kashyap.](#)

RFC 4392 IPoB Architecture April 2006 The **InfiniBand** architecture defines the GID associated ... There is no **promiscuous** mode for listening to all packets. ...

rfc.sunsite.dk/rfc/rfc4392.html - 57k - [Cached](#) - [Similar pages](#)

[\[PDF\] Certified for HP-UX](#)

File Format: PDF/Adobe Acrobat - [View as HTML](#)

5.0 Internet Protocol over **InfiniBand** (IPoB) Testing. The Topspin TS270 successfully meets ... **Promiscuous** mode using snoop (promisc-phy is not supported) ...

[h21007.www2.hp.com/dspp/files/ unprotected/Topspin_CAR_TS270_IBswitch.pdf](http://h21007.www2.hp.com/dspp/files/unprotected/Topspin_CAR_TS270_IBswitch.pdf) -

[Similar pages](#)

[INTERNET DRAFT <draft-ietf-ipoib-ip-over-infiniband-06.txt> HK ...](#)

Table of Contents 1.0 Introduction 2.0 IP over UD Mode 3.0 **InfiniBand** Datalink

4.0 ... For Ethernet this is usually achieved by turning on the **promiscuous** ...

[bgp.potaroo.net/ietf/all-ids/ draft-ietf-ipoib-ip-over-infiniband-06.txt](http://bgp.potaroo.net/ietf/all-ids/draft-ietf-ipoib-ip-over-infiniband-06.txt) - 43k -

[Cached](#) - [Similar pages](#)

[INTERNET DRAFT Vivek Kashyap <draft-ietf-ipoib-architecture-01.txt ...](#)

4.0 IP subnets in **InfiniBand** fabrics The IPoB subnet is overlaid over the ... not have

a **promiscuous** mode at which the router can accept all the packets. ...
 bgp.potaroo.net/ietf/all-ids/ draft-ietf-ipoib-architecture-01.txt - 51k -
[Cached](#) - [Similar pages](#)
[\[More results from bgp.potaroo.net \]](#)

docs.sun.com: man pages section 7: Device and Network Interfaces
 ibd- Infiniband IPoIB device driver ... QP initialization, frame transmit and receive,
 multicast and **promiscuous** mode support, and statistics reporting. ...
 docs.sun.com/app/docs/doc/816-5177/6mbbc4g6d?a=view - 18k -
[Cached](#) - [Similar pages](#)

APPENDIX B - Diagnostic Software and Troubleshooting
 Verify that the **InfiniBand** software packages are installed on the host. To do this,
 type the command: ... Using device /dev/ibd1 (**promiscuous** mode) ...
 docs.sun.com/source/819-1280-10/appB.html - 24k - [Cached](#) - [Similar pages](#)
[\[More results from docs.sun.com \]](#)

ietf-ipoib-ip-over-infiniband-09.txt
 draft-ietf-ipoib-ip-over-infiniband-07.txt (diff) - 15-Aug-2004 ... IBA does not provide
 any hardware support for **promiscuous** multicast mode. ...
 ietfreport.isoc.org/idref/ draft-ietf-ipoib-ip-over-infiniband/ - 55k -
[Cached](#) - [Similar pages](#)

[PDF] INTERNET DRAFT <draft-ietf-ipoib-ip-over-infiniband-06.txt> HK ...
 File Format: PDF/Adobe Acrobat - [View as HTML](#)
InfiniBand (IB). It describes the link layer address to be used when ... **promiscuous**
 multicast mode on a locally connected Ethernet. interface. ...
 ietfreport.isoc.org/cgi-bin/ id2pdf?f1=draft-ietf-ipoib-ip-over-infiniband-06.txt -
[Similar pages](#)
[\[More results from ietfreport.isoc.org \]](#)

Linux-Kernel Archive: Re: 2.6.11-rc2 complains badly about badness ...
 +++ b/drivers/infiniband/ulp/ipoib/ipoib.h 2005-01-24 01:38:51 +01:00 @@ -104,10
 +104,10 @@ ... Check for **Promiscuous** and All Multicast modes */ ...
 www.ussg.iu.edu/hypermail/linux/kernel/0501.2/2220.html - 57k -
[Cached](#) - [Similar pages](#)

Linux-Kernel Archive: 2.6.13-rc6-git11 ADI module doesn't work
 eth0: Setting **promiscuous** mode. device eth1 entered **promiscuous** mode ...
InfiniBand support # # CONFIG_INFINIBAND is not set ...
 www.ussg.iu.edu/hypermail/linux/kernel/0508.2/1185.html - 52k -
[Cached](#) - [Similar pages](#)
[\[More results from www.ussg.iu.edu \]](#)

Using Private VLANs to bolster security
Promiscuous ports talk to any ports, isolated ports talk only to **promiscuous** ports,
 and community members talk to **promiscuous** ports or other community ...
 www.networkworld.com/columnists/ 2005/051605internet.html - 62k -
[Cached](#) - [Similar pages](#)

Routers and Switches - Network World
 Cisco's PVLANS allow ports to be **promiscuous**, isolated or a member of a
 community, where **promiscuous** ports can More.. ...
 www.networkworld.com/topics/routers.html - 66k - [Cached](#) - [Similar pages](#)
[\[More results from www.networkworld.com \]](#)

Diff: draft-ietf-ipoib-ip-over-infiniband-06.txt - draft-ietf ...
 Multicast in **InfiniBand** differs in a number of ways from multicast, Multicast in
InfiniBand ... **promiscuous** multicast mode on a locally connected Ethernet ...
 tools.ietf.org/.../ draft-ietf-ipoib-ip-over-infiniband-07-from-06.diff.html - 65k -
[Cached](#) - [Similar pages](#)

1/draft-ietf-ipoib-ip-over-infiniband-06.txt 2006-02-04 23:40 ...

The document [IPoIB_ARCH] provides a short overview of **InfiniBand** architecture
 (IBA) ... For Ethernet this is usually achieved by turning on the **promiscuous** ...
 tools.ietf.org/.../ draft-ietf-ipoib-ip-over-infiniband-07-from-06.diff.txt - 14k -

[Cached](#) - [Similar pages](#)

[Alternate use of data packet fields to convey information - Patent ...](#)

As in other types of packet-switching networks, in **InfiniBand** networks ... in **promiscuous** mode the network adapter captures all data packets received. ...
www.freepatentsonline.com/6438128.html - 46k - [Cached](#) - [Similar pages](#)

[Systems and methods for interpreting communications packets ...](#)

... card 14 is configured so as to be operated in a **promiscuous** mode, ... for any physical layer protocol, such as Ethernet, Fibre Channel and **InfiniBand**. ...
www.freepatentsonline.com/6931574.html - 131k - [Cached](#) - [Similar pages](#)

[IP over InfiniBand \(ipoib\) Charter](#)

InfiniBand is an emerging standard intended as an interconnect for processor and ...
Current RFC2236/2710 require interface on routers to be in **promiscuous** ...
www3.ietf.org/proceedings/02mar/141.htm - 18k - [Cached](#) - [Similar pages](#)

[INTERNET-DRAFT HK Jerry Chu <draft-ietf-ipoib-link-multicast-03 ...](#)

It will describe all the elements of an IP over **InfiniBand** (IPoIB) link, ... IBA does not provide any hardware support for **promiscuous** multicast mode. ...
www3.ietf.org/proceedings/03mar/1-D/draft-ietf-ipoib-link-multicast-03.txt - 31k -
[Cached](#) - [Similar pages](#)
[[More results from www3.ietf.org](#)]

[RFC4391: Transmission of IP over InfiniBand \(IPoIB\). J. Chu, V ...](#)

Chu & Kashyap Standards Track [Page 3] RFC 4391 IP over **InfiniBand** (IPoIB) ...
IBA does not provide any hardware support for **promiscuous** multicast mode. ...
rfc4391.x42.com/ - 47k - [Cached](#) - [Similar pages](#)

[IETF ID Tracker v1.0 --](#)

>First, the emulation of >**promiscuous** mode seemed a bit odd; ... Action:
'Transmission of IP over **InfiniBand**' to Proposed Standard The IESG has approved
the ...
https://datatracker.ietf.org/public/pidtracker.cgi?
command=print_ballot&ballot_id=625&filename=dr... - 7k - [Cached](#) - [Similar pages](#)

[IETF ID Tracker v1.0 --](#)

promiscuous mode seemed a bit odd; I can understand why you would use it ... The reference to the **InfiniBand** Architecture Specification should then be ...
https://datatracker.ietf.org/public/pidtracker.cgi?
command=view_id&dTag=8285&rfc_flag=0 - 41k - [Cached](#) - [Similar pages](#)
[[More results from https://datatracker.ietf.org](#)]

[INTERNET DRAFT <draft-ietf-ipoib-ip-over-infiniband-08.txt> HK ...](#)

6.0 Frame Format All IP and ARP datagrams transported over **InfiniBand** are ... IBA does not provide any hardware support for **promiscuous** multicast mode. ...
www.potaroo.net/ietf/all-ids/draft-ietf-ipoib-ip-over-infiniband-08.txt - 46k -
[Cached](#) - [Similar pages](#)

[Persian Forum News | Microsoft Servers](#)

If a system has network interfaces in **promiscuous** mode, it may indicate the ... such as MPI-2 and RDMA over Ethernet and **Infiniband**, as well as MPICH". ...
news.persianforum.net/?view=category&PFNCatID=59&stf=Microsoft_Servers - 99k -
[Cached](#) - [Similar pages](#)

[LKML: Patrick McHardy: Re: 2.6.11-rc2 complains badly about ...](#)

IB_WC_WR_FLUSH_ERR) diff -Nru a/drivers/infiniband/ulp/ipoib/ipoib_main.cb/ ...
int i; + unsigned long flags; /* Check for **Promiscuous** and All Multicast ...
lkml.org/lkml/2005/1/23/139 - 59k - [Cached](#) - [Similar pages](#)

[LKML: Patrizio Bassi: 2.6.13-rc6-git11 ADI module doesn't work](#)

... eth0: Setting **promiscuous** mode. device eth1 entered **promiscuous** mode ACPI:
PCI ... CONFIG_MMC is not set ## **InfiniBand** support ## CONFIG_INFINIBAND
is ...
lkml.org/lkml/2005/8/21/17 - 52k - [Cached](#) - [Similar pages](#)
[[More results from lkml.org](#)]



Welcome United States Patent and Trademark Office

☐ Search Session History[BROWSE](#)[SEARCH](#)[IEEE XPLORE GUIDE](#)

Edit an existing query or
compose a new query in the
Search Query Display.

Fri, 14 Apr 2006, 5:32:45 PM EST

Search Query Display

Select a search number (#)
to:

- Add a query to the Search Query Display
- Combine search queries using AND, OR, or NOT
- Delete a search
- Run a search

Recent Search Queries

#1 ((infiniband<in>metadata) <and>
 (promiscuous<in>metadata))

#2 (infiniband<and>promiscuous)

Indexed by
 Inspec

[Help](#) [Contact Us](#) [Privacy &](#)

© Copyright 2006 IEEE -